

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050044059").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:22
L2	1	1 and privacy	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:23
L3	1	("20030159054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:48
L4	20228	3 snd column same (encrypt\$4 or privacy or private)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:48
L5	0	3 and column same (encrypt\$4 or privacy or private)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:48
L6	1	3 and column	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 18:48
L7	25	privacy same column\$1 and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 19:42
L8	7	@AD < ("20030822") and 7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 19:43
L9	1	3 and (table or hash\$4) same (encrypt\$4 or privacy or private)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 19:45
L10	1	("20030159054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:08
L11	1	10 and message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:08

EAST Search History

L12	0	10 and message\$1 near2 digest	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:10
L13	0	10 and secure near2 hash	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:10
L14	439	hash\$3 and advantage\$2 same ((secure near2 hash) or SHA or MD5 or (message near2 digest))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:15
L15	210	@AD < ("20030822") and 14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:16
L16	191	15 and encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:17
L17	0	10 and transparent\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:32
L18	1	10 and bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:46
L19	1	10 and stor\$4 same (hash or table)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 20:49
L20	1	10 and one near2 way	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 21:03
L21	0	10 and lightweight	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 21:05
L22	0	10 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 21:07
L23	0	10 and directory	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 21:07

EAST Search History

L24	0	10 and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 21:08
L25	1436	(private\$1 or privacy or encrypt\$4) and ((social near2 security) or SSN or (driver near2 license) or (passport near2 number) or maiden) and hash\$3 and (column\$1 or table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:25
L26	706	@AD < ("20030822") and 25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	1	("20030159054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:37
L28	1	27 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:37
L29	1	27 and hash\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:37
L30	0	27 and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 22:50
L31	22	advantage same (hash\$4 same (transparent or transparency))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 23:03
L32	9	@AD < ("20030822") and 31	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 23:03
L33	5	32 and secur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 23:07
L34	9	32 and (secur\$3 or privacy or private or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/02/01 23:09